



IAP7 Rec'd PCT/PTO 28 AUG 2006

PCT
8/28

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q92546

Fabio STRADELLA, et al.

Appln. No.: 10/564,315

Group Art Unit: unknown

Confirmation No.: unknown

Examiner: unknown

Filed: January 12, 2006

For: IMPROVED DOSE INDICATOR FOR FLUID PRODUCT DISPENSING DEVICE

SUBMISSION OF EXECUTED DECLARATION

MAIL STOP PCT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In view of the application filed on January 12, 2006 without the appropriate executed documents, and since Applicant's attorney has not yet received the "Notification of Missing Requirements Under 35 U.S.C. 371 in the United States Designated/Elected Office (DO/EO/US)," for the above application, Applicant submits herewith a copy of the Declaration for the above identified application properly executed by the inventors.

A check for the statutory fee of \$130.00 is attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this paper is attached.

Respectfully submitted

Raja N. Saliba
Registration No. 43,078

SUGHRUE MION, PLLC
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

WASHINGTON OFFICE
23373
CUSTOMER NUMBER

Date: August 28, 2006

08/31/2006 GFREY1 00000043 10564315

01 FC:1617

130.00 OP

028.0000 08/28/06